



STEEL DROPSIDE



WORR - SPECIALISTS IN METALWORK

STEEL DROPSIDE/TIPPER/3 WAY TIPPER

ROBUST AND DURABLE

The Worr Steel Dropside kit offers strength and durability to the end user. The Steel Dropside kit is supplied with a variety of floor options to suit the needs of all customers.


- Floor Durability:** The kit incorporates steel hollow section cross bearers at approximately 14" centre lines, in order to avoid deformation of the steel floor.

- Floor Options:** Floor options vary from 2-5mm depending upon the weight of the chassis and customer specifications. The kit can be supplied with steel side raves to enable the fitting of a wooden floor.
- Design Options:** An option to the standard dropside is a tipper kit which fixes to the vehicle's tipping frame. Tipper kits are supplied with fixed steel rear pillars, top and bottom lugs and forket system assemblies, for the tailboard.

EASE OF ASSEMBLY

As with all Worr kits, ease of assembly has been incorporated into kit design, so that cost and time to the body builder can be kept to the bare minimum.

- Fully Cut to Size:** The kit is supplied fully cut to size, the body builder needs only to weld the kit together.



SPECIFICATION

UNDERFRAME/FLOOR

Steel RHS Crossbearers @ 14" Nominal C/Line
Tipper Directly onto Tipping Sub Frame (not supplied)

Dropside Steel RHS Runner to match chassis Pressed Floor Sections

SIDERAVES

Formed with Floor Sections
Special Formed Section to take 3 Way Tipper Hinges

HEADBOARD

Outer Pillars M/Steel RHS
Mid Pillars M/Steel RHS
Crossbar M/Steel RHS
2/3mm Pressed Headboard

SIDES

2.0mm Outer Pressing 38mm Deep 3.5T
2.5mm Outer Pressing 50mm Deep 7.5T
Infill Panels 1.5mm 3.5T 2mm 7.5T
Special Angle End Caps C/With Rubber Grommets Weld on Hinges & Gudgeons
3 Per Side up to 8'-0" long 4 Per Side up to 13'-0" long
3 Way Tipper weld on special hinge for Flush discharge
Weld on Anti-Luce Fasteners Supplied 2 Per Board

TAILBOARD

2.0mm Outer Pressing 38mm Deep 3.5T
3.0mm Outer Pressing 50mm Deep 7.5T
Infill Panels 1.5mm 3.5T 2.5mm 7.5T
Dropside. Special Angle End Caps C/With Rubber Grommets
Tipper. Flat Bar End Caps 40mm x 5mm 3.5T 50mm x 6mm 7.5T
Tipper. Tipping Lugs & Forkets 4 Per T/Board Supplied Loose

REAR PILLARS

Tipper. 50 x 50 Steel RHS Fixed Pillars To Weld In Position 3.5T
Tipper. 100 x 50 Steel RHS Fixed Pillars To Weld In Position 7.5T
Dropside as above but detachable

CENTRE PILLARS

100 x 50 Steel RHS DETACHABLE Pillars To Weld In Position

E: SALES@WORR.CO.UK
T: 0191 257 5011
W: WWW.WORR.CO.UK

LITTLE BEDFORD STREET,
NORTH SHIELDS, NE29 6NW, UK

